


66600 MODEL CARRIAGE HOUSE STEEL

An insulated steel door available in a variety of sophisticated Carriage House designs.

Front image: Springfield Panel, Taupe finish, Arched Stockton window

unique. durable. stylish

the envy of the neighborhood.



Made with two layers of steel, polyurethane foam insulation and DecaTrim[™] II overlays, the Model 6600 is not only durable, but a unique way to add style and curb appeal to your home.



performance features



Insulation

Model 6600 comes with foamed-in-place polyurethane insulation with an R-value of 12.12*, which can improve your home's thermal efficiency, reduce street noise and make the door operate more quietly.



Durable DecaTrim[™] II Overlays

These smooth overlay boards are specially treated to resist termites, weather and fungal decay.

Effective Joint Seals

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Heavy Duty Hinges

Attractive 14 gauge heavy duty hinges provide maximum strength between sections, stability and smoother door operation.

Quiet Rollers

Ball-bearing rollers with nylon wheels and solid steel shafts provide years of smooth, quiet and dependable service.



Windsafe[™]

Available with optional hardware and reinforcement for high-wind regions.



Model 6600 offers a limited lifetime warranty on the steel skin. Two year warranty against delamination on factory attached overlay material. Warranties vary by model, and are available upon request. See full text of warranty for details.

choose your style:


All door top sections are available in arched or square designs. Visit our website at www.wayne-dalton.com to see all design options.

Double car door designs are equivalent to 2 single-car doors side by side.





Arlington (Square)



Brunswick (Arched)



Richmond (Square)




Somerset (Arched)



Lexington (Square)



Savannah (Arched)



choose your color:

DecaTrim[™] II overlays are provided in White only. For a two-toned look, select one of the colors below for the door section.

Nhite	



Almond

Brown Actual colors may vary slightly from brochure photos due to the printing process.




choose your windows:

Window patterns are shown for a typical single-car door. Spacing of windows may change depending on door size. Not all windows are available in all door sizes.

Standard


The following standard window options feature a smooth DecaTrim[™] II overlay board to match the door's desian.



Optional (for cold environments)

For northern regions with extreme cold environments, the following upgraded windows are strongly recommended.

These windows include two plastic frames that provide an extra seal to protect the door section from harsh weather conditions. Optional 1/2" insulated glass is also available.





choose your hardware:

Two Spear pull handles and one bottom lift handle are standard. Additional hardware options are available. Visit our website at www.wayne-dalton.com



"

Garage Door Design Center

www.Wayne-Dalton.com

BEFORE

Go to Wayne-Dalton.com today and click on Design Center. Here you can upload a photo of your home and experiment with panel designs, color options, window styles and hardware designs. Instant curb appeal awaits with just the click of your mouse! Then print the results and go online to find your closest Wayne Dalton dealer.







2501 S. State Hwy 121 Bus., Ste 200 Lewisville, TX 75067 www.wayne-dalton.com SOLD AND DISTRIBUTED BY:



© 2013 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item 351657